ARTICLE

Mitochondrial DNA analysis reveals diverse histories of tribal populations from India

[illegible]

[1]Ma Planck Ins i e fo E ol iona An h opolog , Leip ig, Ge man ; [2]Depa men of Pedia ics, Na ional Uni e si of Singapo e, Singapo e; [3]Depa men of An h opolog , Uni e si College London, UK; [4]Depa men of Biological An h opolog , Camb idge, UK; [5]An h opological S e of India, M so e, Ka na aka S a e, India

We analyzed 370 bp of the first hypervariable region of the mitochondrial DNA (mtDNA) control region in



Table 1

Ethnic groups	*Sample size*	*Linguistic affiliation*	*Population size*	*Reference*
Tribals				
North India				
				et al
				et al
Northeast India				
				et al
East India				
				et al
				et al
				et al
Central India				
				et al
South India				

Results

Diversity indices and demographic parameters

[illegible]

MDS analysis

[illegible]

Gene tree

mtDNA haplogroup affiliation

[illegible]

[illegible] (∼ %). [illegible] (∼ %), [illegible] (∼ %). [illegible] (∼ %) [illegible] ∼ %, [illegible]

[illegible]

. E J
H m Gene 9
Genome Res 11
Homo sapiens sapiens
. Na Gene 23
e al
. C Biol 12
17 . A cheol Ph s An h opol Oceania 2