

## Report

---




Figure 1. Distribution of *E. (N. G. 1999, G. 1986)*. A. DNA. B.




Figure 2




Figure 3 Principal component analysis of the first PC

N E ( )  
 W  
 E  
 N E  
 N E ( ) 1991;  
 C DNA 1994). H  
 DNA  
 E E N E M  
 E (B 2000; N 2000).  
 DNA  
 A  
 E C C (2002). x

325( ) - P230C-390( ) -343.8(90 ) -375(90 ) J 8 E -




Figure 4. PC plot of genetic variation across different regions. The x-axis is 'First PC' and the y-axis is 'Second PC'. Points are labeled: Near East, Med-east, Med-central, North-east, South-east, North-central, North-west, Med-west, and South-west.





Figure 5



G... 16:356-362  
 L... H-J, H... J, P... (1998) L... DNA... 111: 67-77  
 M... M, H... E, E, G... F, G... B... A (1999) DNA... WFLP... A, J, H... G... 64: 232-249  
 M... P, P... PA, C... LL (1978) ... 201: 786-792  
 P... H, B... B, H... J... B, M... AA, ... H... MM, F... P (1999) E... DNA... I, J, L... M... 112:291-298  
 B... D (2000) E... C... M, M... (2000) G... C, B... K... A... DNA... E... M, D... I... A... C... 139-151  
 P... MB, M... A, B... H-J... BC (1998) DNA... E... A... H... G... 62:241-260  
 M, M... H... E... E... B, G... C... (2000) E... N... É... A... J, H... G... 67:1251-1276  
 H... H... ME, A... M, A... D, A... A... (2000) ... 67:1526-1543  
 Ó, P... G, B... A, F... M... B... (1996) A... N... J, H... G... 59:964-968

O, P... G, G... PF, L... AA, A... B... LE, D... G, F... P, K... A, L... M... M... A, M... B, R... D... (2000) ... C... LL... PA... *Homo sapiens sapiens* ... E... 290:1155-1159  
 L, C... E... D, B... J, B... B